

Weatherproof Telephones

JR101-FK



Weatherproof Telephone, Full keypad, Yellow color (other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR101-FK-Analog (Analog model)
- JR101-FK-SIP (SIP/VoIP model)
- JR101-FK-GSM (GSM model)
- JR101-FK-4G (4G model)

JR101-FK-L



Weatherproof Telephone, Full Keypad, with LED lamp fixed on the top, Wall-Mounting, Yellow color (other colour on demand)

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR101-FK-L-Analog (Analog model)
- JR101-FK-L-SIP (SIP/VoIP model)
- JR101-FK-L-GSM (GSM model)
- JR101-FK-L-4G (4G model)

JR101-CB



Weatherproof Telephone, CB(hot line), Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR101-CB-Analog (Analog model)
- JR101-CB-SIP (SIP/VoIP model)
- JR101-CB-GSM (GSM model)
- JR101-CB-4G (4G model)

JR101-CB-L



Weatherproof Telephone, Hotline Phone, with LED Lamp, Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR101-CB-L-Analog (Analog model)
- JR101-CB-L-SIP (SIP/VoIP model)
- JR101-CB-L-GSM (GSM model)
- JR101-CB-L-4G (4G model)

JR101-3B

Weatherproof Telephone, 3 buttons for speed dial, Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR101-3B-Analog (Analog model)
- JR101-3B-SIP (SIP/VoIP model)
- JR101-3B-GSM (GSM model)
- JR101-3B-4G (4G model)

JR102-SC

Weatherproof Telephone, Speed dial, Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR102-SC-Analog (Analog model)
- JR102-SC-SIP (SIP/VoIP model)
- JR102-SC-GSM (GSM model)
- JR102-SC-4G (4G model)

JR102-2B

Weatherproof Telephone, 2 buttons for speed dial, Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR102-2B-Analog (Analog model)
- JR102-2B-SIP (SIP/VoIP model)
- JR102-2B-GSM (GSM model)
- JR102-2B-4G (4G model)

JR103-FK

Weatherproof Telephone, Full keypad, Without door, Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66

Order Code

- JR103-FK-Analog (Analog model)
- JR103-FK-SIP (SIP/VoIP model)
- JR103-FK-GSM (GSM model)
- JR103-FK-4G (4G model)

JR103-CB

Weatherproof Telephone, CB(hot line), Without door, Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66

Order Code

- JR103-CB-Analog (Analog model)
- JR103-CB-SIP (SIP/VoIP model)
- JR103-CB-GSM (GSM model)
- JR103-CB-4G (4G model)

JR104-SC

Weatherproof Telephone, Speed dial, Without door, Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66

Order Code

- JR104-SC-Analog (Analog model)
- JR104-SC-SIP (SIP/VoIP model)
- JR104-SC-GSM (GSM model)
- JR104-SC-4G (4G model)

JR104-2B

Weatherproof Telephone, 2 buttons for speed dial, Without door, Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66

Order Code

- JR104-2B-Analog (Analog model)
- JR104-2B-SIP (SIP/VoIP model)
- JR104-2B-GSM (GSM model)
- JR104-2B-4G (4G model)

JR105-FK

Weatherproof Telephone, Full keypad, With LCD display, Yellow color(other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR105-FK-Analog (Analog model)
- JR105-FK-SIP (SIP/VoIP model)
- JR105-FK-GSM (GSM model)
- JR105-FK-4G (4G model)

JR101-FK-HB



Weatherproof Telephone, Full keypad, With horn and beacon, Yellow color (other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR101-FK-HB-Analog (Analog model)
- JR101-FK-HB-SIP (SIP/VoIP model)
- JR101-FK-HB-GSM (GSM model)
- JR101-FK-HB-4G (4G model)

JR101-FK-H



Weatherproof Telephone, Full keypad, With horn, Yellow color (other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR101-FK-H-Analog (Analog model)
- JR101-FK-H-SIP (SIP/VoIP model)
- JR101-FK-H-GSM (GSM model)
- JR101-FK-H-4G (4G model)

JR103-FK-HB



Weatherproof Telephone, Full keypad, With horn and beacon, Yellow color (other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR103-FK-HB-Analog (Analog model)
- JR103-FK-HB-SIP (SIP/VoIP model)
- JR103-FK-HB-GSM (GSM model)
- JR103-FK-HB-4G (4G model)

JR103-FK-H



Weatherproof Telephone, Full keypad, With horn, Yellow color (other colour on demand), Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JR103-FK-H-Analog (Analog model)
- JR103-FK-H-SIP (SIP/VoIP model)
- JR103-FK-H-GSM (GSM model)
- JR103-FK-H-4G (4G model)

Explosion-proof telephone set

JREX106-A01



Explosion Proof Telephone, Full keypad, Orange color(other colour on demand), with door cover, Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JREX106-A01-Analog (Analog model)
- JREX106-A01-SIP (SIP/VoIP model)

JREX106-A01-CB



Explosion Proof Telephone, Hotline, Orange color(other colour on demand), with door cover, Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JREX106-A01-CB-Analog (Analog model)
- JREX106-A01-CB-SIP (SIP/VoIP model)

JREX106-A03



Explosion Proof Telephone, Full keypad, Orange color(other colour on demand), without door cover, Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JREX106-A03-Analog (Analog model)
- JREX106-A03-SIP (SIP/VoIP model)

JREX106-A03-CB



Explosion Proof Telephone, Hotline, Orange color(other colour on demand), without door cover, Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

- JREX106-A03-CB-Analog (Analog model)
- JREX106-A03-CB-SIP (SIP/VoIP model)

JREX106



Explosion Proof Telephone, Stainless steel full keypad(20 keys), Yellow color (other colour on demand), with LCD display

Housed in a weatherproof GRP (Glass fibre-reinforced polyester) enclosure, IP67 rating

Order Code

- JREX106-Analog (Analog model)
- JREX106-SIP (SIP/VoIP model)

JREX106-CB



Explosion Proof Telephone, Hotline, without keypad, Yellow color(other colour on demand)

Housed in a weatherproof GRP(Glass fibre-reinforced polyester) enclosure, IP67 rating

Order Code

- JREX106-CB-Analog (Analog model)
- JREX106-CB-SIP (SIP/VoIP model)

JREX106-A01-HB



Explosion Proof Telephone, Full keypad, Orange color (other colour on demand), with door cover, with external Ex junction box, Ex Horn, Ex Beacon.

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

With external Ex junction box, Ex Horn, Ex Beacon.

Order Code

- JREX106-A01-HB-Analog (Analog model)
- JREX106-A01-HB-SIP (SIP/VoIP model)

JREX106-HB



Explosion Proof Telephone, Stainless steel full keypad(20 keys), Orange color(other colours on demand), with LCD display

Housed in a weatherproof GRP (Glass fibre-reinforced polyester) enclosure, IP67 rating, with external Ex junction box, Ex Horn, Ex Beacon.

Order Code

- JREX106-HB-Analog (Analog model)
- JREX106-HB-SIP (SIP/VoIP model)

Handset Telephones

JR201-FK



Handset Telephone, Full metal keypad(12keys), Gray color(other colour on demand), Unit size: 247*130*132(mm)

Housed in a anti-vandal Cold-rolled steel enclosure, wall mounting type

Order Code

- JR201-FK-Analog (Analog model)
- JR201-FK-SIP (SIP/VoIP model)
- JR201-FK-GSM (GSM model)
- JR201-FK-4G (4G model)

JR201-FK-VC



Handset Telephone, Full metal keypad(12keys), Brushed Stainless steel body, with volume control button, Unit size: 247*130*132(mm)

Housed in a anti-vandal SUS enclosure, wall mounting type

Order Code

- JR201-FK-VC-Analog (Analog model)
- JR201-FK-VC-SIP (SIP/VoIP model)
- JR201-FK-VC-GSM (GSM model)
- JR201-FK-VC-4G (4G model)

JR202-FK



Handset Telephone, Full metal keypad(12keys), Gray color(other colour on demand), Cold-rolled steel body, Unit size: 240*100*106(mm)

Housed in a anti-vandal Cold-rolled steel enclosure, wall mounting type

Order Code

- JR202-FK-Analog (Analog model)
- JR202-FK-SIP (SIP/VoIP model)
- JR202-FK-GSM (GSM model)
- JR202-FK-4G (4G model)

JR202-CB



Handset Telephone, CB(Hotline)No keypad, Gray color(other colour on demand), Cold-rolled steel body, Unit size: 240*100*106(mm)

Housed in a anti-vandal Cold-rolled steel enclosure, wall mounting type

Order Code

- JR202-CB-Analog (Analog model)
- JR202-CB-SIP (SIP/VoIP model)
- JR202-CB-GSM (GSM model)
- JR202-CB-4G (4G model)

JR203-FK



Handset Telephone, Full metal keypad(12keys), Gray color(other colour on demand), Cold-rolled steel body, Unit size: 247*130*132(mm)

Housed in a anti-vandal Cold-rolled steel enclosure, wall mounting type

Order Code

- JR203-FK-Analog (Analog model)
- JR203-FK-SIP (SIP/VoIP model)
- JR203-FK-GSM (GSM model)
- JR203-FK-4G (4G model)

JR204-FK



Handset Telephone, Full metal Keypad (16 keys), Red color(other colour on demand), LCD display, Cold-rolled steel body, Unit size: 250*160*123(mm)

Housed in a anti-vandal cold-rolled steel enclosure, wall mounting type

Order Code

- JR204-FK-Analog (Analog model)
- JR204-FK-SIP (SIP/VoIP model)
- JR204-FK-GSM (GSM model)
- JR204-FK-4G (4G model)

JR205-FK



Handset Telephone, Full metal Keypad (16 keys), Brushed Stainless steel body, Unit size: 300*120*101(mm)

Housed in a anti-vandal brushed stainless steel enclosure, wall mounting type

Order Code

- JR205-FK-Analog (Analog model)
- JR205-FK -SIP (SIP/VoIP model)
- JR205-FK -GSM (GSM model)
- JR205-FK -4G (4G model)

JR206-FK



Handset Telephone, Full metal keypad(12keys), Red color(other colour on demand), Cold-rolled steel body, Unit size: 248*185*129(mm)

Housed in a anti-vandal cold-rolled steel enclosure, wall mounting type

Order Code

- JR206-FK-Analog (Analog model)
- JR206-FK-SIP (SIP/VoIP model)
- JR206-FK-GSM (GSM model)
- JR206-FK-4G (4G model)

JR207-FK



Handset Telephone, Full metal keypad(16 keys), Red color(other colour on demand), Cold-rolled steel body, Unit size: 248*195*132(mm)

Housed in a anti-vandal cold-rolled steel enclosure, wall-mounting type

Order Code

- JR207-FK-Analog (Analog model)
- JR207-FK-SIP (SIP/VoIP model)
- JR207-FK-GSM (GSM model)
- JR207-FK-4G (4G model)

JR208-FK



Handset Telephone, Full metal keypad(12keys), Brushed Stainless steel body, Unit size: 280*190*124(mm)

Housed in a anti-vandal SUS enclosure, flush mounting type

Order Code

- JR208-FK-Analog (Analog model)
- JR208-FK-SIP (SIP/VoIP model)
- JR208-FK-GSM (GSM model)
- JR208-FK -4G (4G model)

JR208-CB



Handset Telephone, CB (hot line), Brushed Stainless steel body, Unit size: 280*190*124(mm)

Housed in a anti-vandal SUS enclosure, flush mounting type

Order Code

- JR208-CB-Analog (Analog model)
- JR208-CB-SIP (SIP/VoIP model)
- JR208-CB-GSM (GSM model)
- JR208-CB-4G (4G model)

JR209-FK



Handset Telephone, Full metal keypad(16 keys), Brushed Stainless steel body, Unit size: 280*190*124(mm)

Housed in a anti-vandal SUS enclosure, flush mounting type

Order Code

- JR209-FK-Analog (Analog model)
- JR209-FK-SIP (SIP/VoIP model)
- JR209-FK-GSM (GSM model)
- JR209-FK-4G (4G model)

JR210-1B



Handset Telephone, One button for speed dial, Cold-rolled steel body, Red color (other colour on demand), Unit size: 300*180*161(mm)

Housed in a anti-vandal cold-rolled steel enclosure, wall-mounting

Order Code

- JR210-1B-Analog (Analog model)
- JR210-1B-SIP (SIP/VoIP model)
- JR210-1B-GSM (GSM model)
- JR210-1B-4G (4G model)

JR211-FK



Handset Telephone, Full Keypad (12 keys), Brushed stainless steel body, Unit size: 300*150*160(mm)

Housed in a anti-vandal SUS enclosure, Desk mounting type

Order Code

- JR211-FK-Analog (Analog model)
- JR211-FK-SIP (SIP/VoIP model)
- JR211-FK-GSM (GSM model)
- JR211-FK-4G (4G model)

JR211-CB



Handset Telephone, CB (hot line), Cold-rolled steel body, Red color (other colour on demand), Unit size: 300*150*160(mm)

Housed in a anti-vandal cold-rolled steel enclosure. Desk mounting type

Order Code

- JR211-CB-Analog (Analog model)
- JR211-CB -SIP (SIP/VoIP model)
- JR211-CB -GSM (GSM model)
- JR211-CB -4G (4G model)

JR212-FK



Handset Telephone, Full keypad, Brushed Stainless steel body, With volume control button and LCD display, Unit size: 247*130*132(mm)

Housed in a weatherproof, anti-vandal metal enclosure, wall mounting type

Order Code

- JR212-FK-Analog (Analog model)
- JR212-FK-SIP (SIP/VoIP model)
- JR212-FK-GSM (GSM model)
- JR212-FK-4G (4G model)

Handsfree Telephones

JR301-SC



Emergency Telephone, Hands-free operation, 1 Button, Autodial, Cold-rolled steel enclosure and stainless steel front panel, Unit size: 220*150*50(mm)

Housed in a Stainless Steel Panel, designed for Wall -mounting

Order Code

- JR301-SC-Analog (Analog model)
- JR301-SC-SIP (SIP/VoIP model)
- JR301-SC-GSM (GSM model)
- JR301-SC-4G (4G model)

JR301-2B



Emergency Telephone, Hands-free operation, 2 Buttons, Autodial, Cold-rolled steel enclosure and stainless steel front panel, Unit size: 220*150*50(mm)

Housed in a Stainless Steel Panel, Designed for Wall-mounting

Order Code

- JR301-2B-Analog (Analog model)
- JR301-2B-SIP (SIP/VoIP model)
- JR301-2B-GSM (GSM model)
- JR301-2B-4G (4G model)

JR301-SC-IW



Emergency Telephone, Hands-free operation, 1Button, Autodial, Brushed stainless steel body, Unit size: 216*146*40(mm)

Housed in a SUS enclosure, Designed for Flush-mounting

Order Code

- JR301-SC-IW-Analog (Analog model)
- JR301-SC-IW-SIP (SIP/VoIP model)
- JR301-SC-IW-GSM (GSM model)
- JR301-SC-IW-4G (4G model)

JR301-2B-IW



Emergency Telephone, Hands-free operation, 2 Buttons, Autodial, Brushed stainless steel body, Unit size: 216*146*40(mm)

Housed in a SUS enclosure, Designed for Flush -mounting

Order Code

- JR301-2B-IW-Analog (Analog model)
- JR301-2B-IW-SIP (SIP/VoIP model)
- JR301-2B-IW-GSM (GSM model)
- JR301-2B-IW-4G (4G model)

JR302-SC



Emergency Telephone, Hands-free operation, 1Button, Autodial, Brushed stainless steel body, Unit size: 210*140*50(mm)

Housed in a SUS enclosure, Designed for Wall-mounting

Order Code

- JR302-SC-Analog (Analog model)
- JR302-SC-SIP (SIP/VoIP model)
- JR302-SC-GSM (GSM model)
- JR302-SC-4G (4G model)

JR304-SC



Emergency Telephone, Hands-free operation, 1 Button, Autodial, Cold-rolled steel enclosure and stainless steel front panel, Unit size: 210*140*50(mm)

Housed in a CRS enclosure and SUS panel, Designed for wall-mounting

Order Code

- JR304-SC-Analog (Analog model)
- JR304-SC-SIP (SIP/VoIP model)
- JR304-SC-GSM (GSM model)
- JR304-SC-4G (4G model)

JR305-SC



Emergency Telephone, Hands-free operation, 1 Button, Autodial, Cold-rolled steel enclosure and stainless steel front panel, Unit size: 230*160*80(mm)

Housed in a CRS enclosure and SUS panel, wall-mounting or post mounting

Order Code

- JR305-SC-Analog (Analog model)
- JR305-SC-SIP (SIP/VoIP model)
- JR305-SC-GSM (GSM model)
- JR305-SC-4G (4G model)

JR306-SC



Emergency Telephone, Hands-free operation, 1Button, Cold-rolled steel body, Yellow Color(other colour on demand), Unit size: 339*146*126(mm)

Housed in a anti-vandal metal enclosure, wall-mounting or post mounting

Order Code

- JR306-SC-Analog (Analog model)
- JR306-SC-SIP (SIP/VoIP model)
- JR306-SC-GSM (GSM model)
- JR306-SC-4G (4G model)

JR308-FK



Emergency Telephone, Full metal keypad(12keys), Brushed stainless steel body, Unit size: 200*150*50(mm)

Housed in a weatherproof, SUS enclosure, Designed for wall-mounting

Order Code

- JR308-FK-Analog (Analog model)
- JR308-FK-SIP (SIP/VoIP model)
- JR308-FK-GSM (GSM model)
- JR308-FK-4G (4G model)

JR313-SC



Emergency Telephone, 1 Button, Autodial, Cold-rolled steel body, Red color(other colour on demand) Unit size: 170*130*60(mm)

Housed in a anti-vandal cold-rolled steel enclosure, wall-mounting.

Order Code

- JR313-SC-Analog (Analog model)
- JR313-SC-SIP (SIP/VoIP model)
- JR313-SC-GSM (GSM model)
- JR313-SC-4G (4G model)

JR313-2B



Emergency Telephone, 2 Button, Autodial, Cold-rolled steel body, Red color(other colour on demand) Unit size: 170*130*60(mm)

Housed in a anti-vandal cold-rolled steel enclosure, wall -mounting

Order Code

- JR313-2B-Analog (Analog model)
- JR313-2B-SIP (SIP/VoIP model)
- JR313-2B-GSM (GSM model)
- JR313-2B-4G (4G model)

JR314-SC



Emergency Telephone, 1 Button, Autodial, Flush Mounting, Red color(other colour on demand) Unit size: 170*130*60(mm)

Housed in a anti-vandal cold-rolled steel enclosure, flush-mounting

Order Code

- JR314-SC-Analog (Analog model)
- JR314-SC-SIP (SIP/VoIP model)
- JR314-SC-GSM (GSM model)
- JR314-SC-4G (4G model)

JR505-SC



Emergency Elevator Telephone, Brushed stainless steel body, 1 Button, Autodial, Unit size: 135*75*25 (mm)

Housed in a anti-vandal SUS enclosure, Designed for wall -mounting

Order Code

- JR505-SC-Analog (Analog model)
- JR505-SC-SIP (SIP/VoIP model)
- JR505-SC-GSM (GSM model)
- JR505-SC-4G (4G model)

JR320-SC



Emergency Telephone, Cold-rolled steel body, 1Button, with LED lamp, Blue color(other colour on demand) Unit size: 220*300*800 (mm)

Housed in a anti-vandal CRS enclosure, wall-mounting or post mounting

Order Code

- JR320-SC-Analog (Analog model)
- JR320-SC-SIP (SIP/VoIP model)
- JR320-SC-GSM (GSM model)
- JR320-SC-4G (4G model)

JR321-SC



Emergency Telephone, Cold-rolled steel body, 1Button, Post Mounting, with lamp, Blue color(other colour on demand)

Housed in a anti-vandal CRS enclosure, Standing along-mounting

Order Code

- JR321-SC-Analog (Analog model)
- JR321-SC-SIP (SIP/VoIP model)
- JR321-SC-GSM (GSM model)
- JR321-SC-4G (4G model)

JR321-SC-SP



Emergency Telephone, 1 Button, Autodial, Post Mounting, with lamp, solar panel and rechargeable lithium battery, Blue color(other colour on demand)

Housed in a anti-vandal CRS enclosure, Designed for Stand along-mounting

Order Code

- JR321-SC-SP-Analog (Analog model) **60W+40AH**
- JR321-SC-SP-SIP (SIP/VoIP model) **80W+60AH**
- JR321-SC-SP-GSM (GSM model) **70W+50AH**
- JR321-SC-SP-4G (4G model) **70W+50AH**

JR330-SC



Emergency Telephone, 1 Button, Wall Mounting, with lock key for open the door, Orange color(other colour on demand) Unit size: 530 *280*197(mm)
Housed in a anti-vandal CRS enclosure, wall –mounting or post mounting

Order Code

- JR330-SC-Analog (Analog model)
- JR330-SC-SIP (SIP/VoIP model)
- JR330-SC-GSM (GSM model)
- JR330-SC-4G (4G model)

JR316-4B



Industrial Intercom, 4 Buttons, Suitable for outdoor application, Orange color(other colour on demand), Unit size: 400*200*130(mm)
Housed in a anti-vandal CRS enclosure, Designed for Column-mounting

Order Code

- JR316-4B-Analog (Analog model)
- JR316-4B -SIP (SIP/VoIP model)
- JR316-4B -GSM (GSM model)
- JR316-4B -4G (4G model)

JR306-SC-SP



Emergency Telephone, 1Button, with LED light and solar panel and rechargeable lithium battery, Orange color (other colour on demand)
Housed in a weatherproof, anti-vandal cold-rolled steel enclosure, Designed for Column-mounting

Order Code

- JR306-SC-SP-Analog (Analog model) 30W 18AH 7days
- JR306-SC-SP-SIP (SIP/VoIP model) 30W 18AH 7days
- JR306-SC-SP-GSM (GSM model) 20W 13AH 14days
- JR306-SC-SP-4G (4G model) 20W 13AH 14days

JR315-SC-P



Emergency Help Point, 2Buttons, Autodial, with built-in induction loop

Housed in a weatherproof, anti-vandal SUS enclosure, Column-mounting

Order Code

- JR315-SC-P-Analog (Analog model)
- JR315-SC-P-SIP (SIP/VoIP model)
- JR315-SC-P-GSM (GSM model)
- JR315-SC-P-4G (4G model)

JR309-FK



Emergency Telephone, Full flat metal keypad(12keys), Brushed stainless steel body, Unit size: 200*150*52(mm)

Housed in a anti-vandal SUS enclosure, Designed for flush-mounting

Order Code

- JR309-FK-Analog (Analog model)
- JR309-FK-SIP (SIP/VoIP model)
- JR309-FK-GSM (GSM model)
- JR309-FK-4G (4G model)

JR303-SC



Emergency Help Point, Brushed stainless steel body, 1 Button, Unit size: 200*150*52(mm)

Housed in a weatherproof, SUS enclosure, wall-mounting

Order Code

- JR303-SC-Analog (Analog model)
- JR303-SC-SIP (SIP/VoIP model)
- JR303-SC-GSM (GSM model)
- JR303-SC-4G (4G model)

JR303-2B



Emergency Help Point, SUS body, 2 Buttons, Unit size: 200*150*52(mm)

Housed in a weatherproof, SUS enclosure, Designed for wall-mounting

Order Code

- JR303-2B-Analog (Analog model)
- JR303-2B-SIP (SIP/VoIP model)
- JR303-2B-GSM (GSM model)
- JR303-2B-4G (4G model)

JR315-SC



Emergency Video Help Point, Brushed stainless steel body, 2 Buttons, with built-in induction loop, Unit size: 300*60*650(mm)

Housed in a weatherproof, SUS enclosure, wall-mounting or Pillar mounting

Order Code

- JR315-SC-Analog (Analog model)
- JR315-SC-SIP (SIP/VoIP model)
- JR315-SC-4G (4G model)

Emergency Telephone Pillar

JR-TP-01



Emergency Telephone Pillar, painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges Prepared for the containment of auxiliary circuits

Material: Made of cold rolled steel, painted for outdoor using. It can be manufactured in stainless steel SUS304/SUS316 on demand.

Colour: Yellow (other colour on demand)

Weight: 20 kg Dimensions(mm): 1500 x 300x 300 mm

Fixing: on floor

JR-TP-02



Emergency Telephone Pillar, painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

Material: Made of cold rolled steel, It can be manufactured in stainless steel SUS304/SUS316 on demand.

Colour: Yellow (other colour on demand)

Weight :25 kg Dimensions (mm): 1500 x 300 x 300 mm

Fixing: on floor

JR-TP-03



Emergency Telephone Pillar, painted for outdoor use. Can choose to add LED lights

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

Material: Made of cold rolled steel, It can be manufactured in stainless steel SUS304/SUS316 on demand

Colour: Red (other colour on demand)

Weight: 30 kg Dimensions(mm): 1500 x 436 x 306 mm

Fixing: on floor

JR-TP-04



Emergency Telephone Pillar, painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

With Solar panel mounting bracket which is adjustable on multiple directions

Material: Made of cold rolled steel, It can be manufactured in stainless steel SUS304/SUS316 on demand.

Colour: Orange (other colour on demand)

Weight: 45kg Dimensions(mm): 2400 x 436 x 306 mm

Fixing: on floor

IP Video Telephone

JR213-FK



IP Video Handset Telephone, Full keypad, armoured cord handset, Brushed Stainless steel body, with built-in Camera, and LCD display. Wall mounted.

Order Code

- JR213-FK-SIP (SIP/VoIP model)
- JR213-FK-4G (4G model)

JR213-2B



IP Video Telephone, Hands free operation, Brushed Stainless steel body, Two Call buttons, with built-in Camera, induction loop, and LCD display. Wall mounted type.

Order Code

- JR213-2B-SIP (SIP/VoIP model)
- JR213-2B-4G (4G model)

JR301-SC-C1



IP Video Telephone, Brushed Stainless steel body, Hands free operation, One call button, with built-in Camera, induction loop. Flush mounted type.

Order Code

- JR301-SC-C1-SIP (SIP/VoIP model)
- JR301-SC-C1-4G (4G model)

JR301-SC-C2



IP Video Telephone, Brushed Stainless steel body, Hands free operation, One call button, with built-in Camera, induction loop. Wall mounted type.

Order Code

- JR301-SC-C2-SIP (SIP/VoIP model)
- JR301-SC-C2-4G (4G model)

JR309-FK-A



Clean Room / Sterile Room Intercom, Brushed stainless steel body, 2 Button, Autodial, Unit size:140 *250 *48.5 (mm)

Housed in a anti-vandal SUS enclosure, Designed for flush -mounting

Order Code

- JR309-FK-A-Analog (Analog model)
- JR309-FK-A-SIP (SIP/VoIP model)
- JR309-FK-A-GSM (GSM model)
- JR309-FK-A-4G (4G model)

JREX-HSA-A



ATEX/IECEX Loudspeaker 35W, Impact-resistant engineering plastic and stainless steel 316, IP66-rated

Order Code

- JREX-HSA-A-Analog (Analog model)
- JREX-HSA-A-SIP (SIP model)

JRSP-SIP-01




SIP Speaker, robust engineering plastics construction, built-in 25 W Class D amplifier, Power over Ethernet (PoE) power supply

Order Code

- JRSP-SIP-01 (SIP model)

JRTNS



IP Sever with intercom function, broadcast function, video function, alarm linkage, electronic map

Order Code

- JRTNS-T60 (60 Terminal registration capacity)
- JRTNS-T120 (120 Terminal registration capacity)
- JRTNS-T240 (240 Terminal registration capacity)
- JRTNS-T500 (500 Terminal registration capacity)
- JRTNS-T1000 (1000 Terminal registration capacity)

JR-DS-01



IP Dispatching Console/Master Station

- Processor: Onboard Intel I3 processor(I5/I7 as request)
- Chipset: Intel Soc chipset integrated into the CPU
- Internal storage: 4G DDR3 memory
- Storage:128G solid state drive or above
- Hardware detection: CPU, system temperature, fan speed and voltage monitoring
- With 10.1-inch capacitive touch screen
- Built-in 200W Camera

JR922-FK-SIP



Control room SIP/VoIP Gooseneck Intercom
 Robust housing, constructed of stainless steel
 Vandal resistant and rugged keypad
 Hands free operation with goose-neck microphone and LCD display
 Desk top mounting
 Weather proof protection: IP54 to IP65
 External power supply or PoE power supply
 RJ45 Port for IP connection
 CE, FCC, IK10 compliant

JR-TH-01



Acoustic insulation: Noise Attenuation up to 23 dB
 Polyethylene plastic construction (GRP)
 Durable, lightweight, chemical resistant body
 Excellent low temperatures impact properties
 High performance polyurethane acoustic insulation liner, resistant to mildew and rot
 Fire retardant class "0" rating
 Wall or pillar installation
 Can be used both indoors, outdoors and offshore
 Optional colors available upon request
 Weight: 25 kg Dimensions(mm): 500 x 680x 780 mm

JR-TH-02



Telephone Booth
 Polyethylene plastic construction
 Durable, lightweight, chemical resistant body
 Excellent low temperatures impact properties
 Can be used both indoors, outdoors and offshore
 Wall or pillar installation
 Optional colors available upon request
 Weight: 20 kg Dimensions(mm): 800 x 690x 480 mm

JR-TH-04



Telephone Booth
Polyethylene plastic construction
Durable, lightweight, chemical resistant body
Excellent low temperatures impact properties
Can be used both indoors, outdoors and offshore
Wall or pillar installation
Optional colors available upon request
Weight: 18kg Dimensions(mm): 640 x 580x 260 mm

JR-TH-03



Standalone booth
Robust metal construction
Contain an inside lamp
Fancy looking and modern
Noise reduction with door Up to 38dB
Noise reduction without door Up to 25dB
Optional colors and dimension available upon request
Weight: 300 kg Dimensions(mm): 1100 x 1100x 2400 mm

JR-TH-03A



Full Sized Acoustic booth
Robust metal construction
Contain an inside lamp
Fancy looking and modern
Noise reduction with door Up to 35dB
Noise reduction without door Up to 25dB
Optional colors and dimension available upon request
Weight: 300 kg Dimensions(mm): 1100 x 1100x 2200 mm

JR-TH-08



Full Sized Acoustic booth
Robust GRP (Fiberglass Reinforce plastic) construction
Contain an inside lamp
Fancy looking and modern
Noise reduction with door Up to 38dB
Noise reduction without door Up to 25dB
Optional colors and dimension available upon request
Weight: 300 kg Dimensions(mm): 1100 x 1100x 2150 mm

JR-TH-01-OC



Acoustic insulation: Noise Attenuation up to 23dB. Polyethylene plastic construction (GRP)
Outer Shell: General Purpose Resin continuous filament mat. Fire Resistance
Acoustic Insulation: 50mm Tissue faced non hygroscopic sound absorbing cotton
Insulation Liner: High performance polyurethane acoustic insulation liner
Apparatus plate: 304 Grade Stainless Steel, 1.5mm thickness
Mounting Brackets: 304 Grade Stainless Steel, 2mm thickness
Wall or pillar installation, can be used both indoors, outdoors and offshore
Optional colors available upon request
Weight: 35 kg Dimensions (mm): H900*W700* D620 (mm)